

From: [Ray, Lauren](#)
To: [Hillary Young](#)
Cc: [David Cates](#); [Johnson, Ken-E](#); [Dorsey, Nancy](#)
Subject: RE: Mid-Way Hall Plots
Date: Wednesday, October 7, 2020 2:25:00 PM
Attachments: [Mid-Way Hall Plot EPA R6 review 10-07-2020.docx](#)

Good afternoon Hillary and David.

Nancy and Ken reviewed the Mid-Way Environmental Services Hall Plot report, and their combined comments are attached. The attached includes a table (appendix) with suggested references for Mid-Way/A&M Engineering on Hall Plots.

Take a look at the comments, and if you would like to discuss further or get clarification, we can set up a call/Teams meeting.

Lauren Ray
U.S. EPA, Region 6
Water Quality, Groundwater/UIC Section
Source Water Protection
(214) 665-2756
ray.lauren@epa.gov

From: Hillary Young <Hillary.Young@deq.ok.gov>
Sent: Tuesday, October 06, 2020 3:31 PM
To: Ray, Lauren <Ray.Lauren@epa.gov>; Dorsey, Nancy <Dorsey.Nancy@epa.gov>
Cc: David Cates <David.Cates@deq.ok.gov>; Johnson, Ken-E <Johnson.Ken-E@epa.gov>
Subject: Mid-Way Hall Plots

Lauren:

As discussed, I have attached the Mid-Way Hall plot analysis. Please let us know if you have any comments.

Have a great afternoon,
Hillary